

SECTION 1: IDENTIFICATION

GHS PRODUCT IDENTIFIERS:

PRODUCT NAME:MAS Epoxies Cell-O-Fill **SYNONYMS, TRADE NAMES:**MAS Cell-O-Fill, Filler

OTHER MEANS OF IDENTIFICATION: Not available

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

USES: Polymer Matrix For Fiber-Reinforced Plastic (FRP)

RESTRICTIONS ON USE: None Identified

SUPPLIER'S DETAILS:

MANUFACTURER/SUPPLIER: Endurance Technologies, Inc.

275 Bridge Point Drive

South Saint Paul, MN 55075, USA TELEPHONE: +1 651 451 8000 FACSIMILE: +1 651 451 9728

CONTACT PERSON: Eric Frank

EMERGENCY PHONE NUMBER:

CHEMTREC (24 HRS): USA 1 800 424 9300 CHEMTREC (24 HRS): INTERNATIONAL +1 703 527 3887

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE:

Acute toxicity, Dermal: Category 5, H313

GHS LABEL ELEMENTS:

HAZARD SYMBOLS: None SIGNAL WORDS: Warning

HAZARD STATEMENTS: H313 May be harmful in contact with skin.

PRECAUTIONARY STATEMENTS:

PREVENTION: P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, clothing, and eye/face protection.

RESPONSE: P301+P312 IF SWALLOWED: Call POISON CETNER and/or doctor if you feel

unwell.

P312 Call a POISON CENTER if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse. P304+P312 IF INHALED: Call POISON CENTER if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical attention. P308+P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

STORAGE: P403+P233 Store in a well-ventilated place. Keep container tightly closed.



DISPOSAL: P501 Dispose of contents and containers in accordance with local, regional and

international regulations.

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS) – Annex III

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME: CAS NUMBER: CONTENT:

Cellulose 9004-34-6 100%

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

SECTION 4: FIRST-AID MEASURES

DESCRIPTION OF NESSESARY FIRST-AID MEASURES:

INHALATION: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing,

give artificial respiration. Seek medical attention if breathing difficulties continue.

SKIN: Remove contaminated clothing and shoes. Wash the affected area with plenty of

soap and water until no evidence of the material remains (at least 15-20 minutes).

Launder clothing before reuse. Get medical attention if symptoms occur.

EYES: Immediately flush eyes with plenty of clean water for an extended time, not less than

fifteen (15) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. Seek medical attention if irritation develops or persists.

INGESTION: Do not induce vomiting. Never give anything by mouth to an unconscious person.

Rinse out the mouth with water. Get medical attention if you feel unwell.

MOST IMPORTANT SYMPTOMS AND EFFECTS, ACUTE AND DELAYED:

SYMPTOMS: Irritation. Pre-existing skin problems and respiratory conditions may be aggravated

by prolonged or repeated contact. See section 11 for additional information.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF

NECESSARY:

TREATMENT: Treat symptomatically and eliminate over exposure.

SECTION 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

SUITABLE: Use water spray, alcohol resistant foam, dry chemical or carbon dioxide. Any "C"

class.

UNSUITABLE: None known.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

UNUSUAL FIRE & EXPLOSION HAZARDS: Depending on the moisture content and particulate diameter, cellulose dust may explode in the presence of an ignition source. An airborne concentration of 40 grams of dust per cubic meter of air is often use as the LEL for cellulose dusts.

HAZARDOUS COMBUSTION PRODUCTS: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See Section 10 Hazardous decomposition products for additional information.



SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations. See section 9 for additional information.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Eliminate ignition sources. Personal Protective Equipment must be worn. Avoid dust formation. Avoid breathing dust.

ENVIRONMENTAL PRECAUTIONS: Do not flush product into public sewer, water systems or surface waters.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Wear proper personal protective clothing and equipment. Pick up and arrange disposal without creating dust. Sweep up and shovel. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Use under well-ventilated conditions. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume, vapor or dust generated by this product. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing and shoes before reuse.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep away from heat, sparks and open flames. Store dry at 15-40°C under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Empty container contains residual product which may exhibit hazards of product. Do not reuse empty container without commercial cleaning or reconditioning. Cellulose dust has a strong to severe explosion hazard if a dust "cloud" contains an ignition source. Refer to NFPA 664 & NFPA 68 for additional safe handling requirements.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PERAMETERS:

OCCUPATIONAL EXPOSURE LIMITS:

INGREDIENT NAMECAS NUMBEROSHA-TWAOSHA-TWACellulose9004-34-65 mg/m³ (respirable dust fraction)15 mg/m³ (total dust)

APPOPRIATE ENGINEERING CONTROLS: Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist, vapors and dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain air concentrations below occupational exposure standards. When necessary use mechanical handling to reduce human contact with materials. If necessary, use local exhaust ventilation and process enclosure to control airborne dust.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE):



EYE/FACE Safety glasses or goggles required. In extremely dusty environments wear unvented

PROTECTION: or indirectly vented goggles. Contact lenses should not be worn when working in

extremely dusty environments.

SKIN Wear chemical resistant (impervious) gloves; PVC, neoprene, nitrile rubber, EVAL,

PROTECTION: butyl rubber. Wear chemical resistant protective clothing. Use good laboratory/

workplace procedures including personal protective clothing: lab coat and protective

gloves.

RESPIRATORY Wear an approved respirator (e.g., an organic vapor respirator, a full face air

PROTECTION: purifying respirator for organic vapors, or a self-contained breathing apparatus)

whenever exposure to aerosol, mist, spray, fume, vapors or dust exceed the applicable exposure limit(s) of any chemical substance listed in this SDS.

GENERAL Eyewash fountains and safety showers are recommended in the work area.

PROTECTION:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Fiberous powder UPPER/LOWER FLAMMABILTY OR Not available

EXPLOSIVE LIMITS:

COLOR: White VAPOUR PRESSURE: Not applicable ODOUR: VAPOUR DENSITY: Not applicable

ODOUR THRESHOLD: Not available **RELATIVE DENSITY:** 0.5

PH: 7.0 SOLUBILITY(IES): Insoluble

MELTING POINT/ Not applicable PARTITION COEFFICIENT Not available

FREEZING POINT (n-octanol/water):

INITIAL BOILING POINT Not applicable AUTO-IGNITION TEMPERATURE: 230°C

AND BOILING RANGE:

FLASH POINT: Not applicable DECOMPOSITION TEMPERATURE: Not available EVAPORATION RATE: Not applicable VISCOSITY: Not applicable

FLAMMABILITY Not available CHAR POINT: 180°C

(SOLID, GAS):

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY: Not applicable.

CHEMICAL STABILITY: Stable under conditions of normal storage and use.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur

CONDITIONS TO AVOID: Incompatible materials, excessive heat and ignition sources.

INCOMPATIBLE MATIERALS: Avoid contact with oxidizing agents and drying oils. Avoid open flame. Product

may ignite at temperatures in excess of 212°F.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal-oxidative degradation of wood produces irritating and toxic fumes and gases, including CO, aldehydes and organic acids.

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON THE LIKELY ROUTES OF EXPOSURE: Eyes, skin, inhalation and ingestion.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMCIAL AND TOXICOLOGICAL CHARACTERISTICS:

EYES: May cause eye irritation.

SKIN: May cause skin irritation. May be harmful in contact with skin



INHALATION: May be harmful if inhaled. May cause respiratory tract irritation.

INGESTION: May be harmful if swallowed.

DELAYED AND IMMEDIATE EFFECTS AND ALSO CHONIC EFFECTS FROM SHORT AND LONG TERM

EXPOSURE: Further information is not available.

ACUTE TOXICITY:

CHEMCIAL NAME LC₅₀ INHALATION LD₅₀ ORAL (RAT) LD₅₀ DERMAL (RABBIT)

Cellulose Not available >5,000 mg/kg >2,000 mg/kg

CORROSION / IRRITATION / SENSITIZATION INFORMATION:

SKIN CORROSION/IRRITATION: Information is not available.
SERIOUS EYE DAMAGE/IRRITATION: Information is not available.
RESPIRATORY OR SKIN SENSITIZATION: Information is not available.

CARCINOGENICITY / MUTAGENICITY / REPRODUCTIVE TOXICOLOGY INFORMATION:

GERM CELL MUTAGENICITY: Information is not available.

CARCINOGENICITY: Information is not available.

REPRODUCTIVE TOXICITY: Information is not available.

SPECIFIC TARGET ORGAN TOXICITY (STOT):

STOT-SINGLE EXPOSURE: Information is not available.
STOT-REPEATED EXPOSRE: Information is not available.

ASPIRATION HAZARD: Information is not available.

OTHER INFORMATION: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by IARC, ACGIH, NTP or OSHA.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY:

Chemical Name LC₅₀ 96 Hours (Fish) EC₅₀ 24 Hours (Daphnia) IC₅₀ 96 Hours (Bacteria)

Cellulose Not available Not available Not available

N/E = Not established (no exposure limits established for listed substances for listed country/region/organization).

PERSISTENCE AND DEGRADBILITY:

Chemical Name OECD Derived from OECD 301F (Biodegradation Test) - 28 Days

Cellulose Not available

BIOACCUMULATIVE POTENTIAL:

Chemical NameLog PowBCFPotentialCelluloseNot availableNot availableNot available

MOBILITY IN SOIL:

Chemical Name Soil/Water Partition Coefficient (Koc)

Cellulose Not available

OTHER ADVERSE EFFECTS: Additional information is not available



SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See section 8 for recommendations on the use of personal protective equipment.

SECTION 14. TRANSPORTATION INFORMATION

UN NUMBER:

UN PROPER SHIPPING NAME: Non Regulated

TRANSPORT HAZARD CLASS:

U.S. DOT HAZARD CLASS:

CANADA TDG HARZARD CLASS:

EUROPE ADR/RID HAZARD CLASS:

IMDG CODE (OCEAN) HAZARD CLASS:

ICAO/IATA (AIR) HAZARD CLASS:

Not dangerous goods

Not dangerous goods

Not dangerous goods

PACKING GROUP:

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: No HAZARDOUS SUBSTANCE (USA): No

SPECIAL PRECAUTIONS FOR USER: Information is not available.

TRANSPORTING IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

Information is not available.

LABEL FOR CONVEYANCE:

OTHER INFORMATION: For surface shipments within the United States: Not regulated.

SECTION 15. REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION:

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV – List of substances subject to authorization, Substances of very high concern

components are listed.
se None of the

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

components are listed.

None of the

OTHER REGULATIONS: Additional information is not available.

CHEMICAL INVENTORIES:

Canadian Domestic Substances List (DSL):

Υ

Canadian Non-Domestic Substances List (NDSL):

Ν



European Inventory of Existing Chemical Substances (EINECS):

Y
European List of Notified Chemical Substances (ENCS):

N
U.S. Toxic Substances Control Act (TSCA):

Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed.

SECTION 16. OTHER INFORMATION

REVISION DATE: November 25, 2013

LEGEND: ACGIH: American Conference of Governmental Industrial Hygienists

ADR/RID: European dangerous goods transport road and rail regulations

CAS No: Chemical Abstract Service Registry Number

DOT: Department of Transportation (U.S.)

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

OEL: Occupational Exposure Limits

OSHA: Occupational Safety and Health Administration (U.S.)

PEL: Permissible Exposure Limit

RQ: Reportable Quantity SDS: Safety Data Sheet

STEL: Short Term Exposure Limit (15 minute Time Weighted Average) TDG: Canadian Transportation of Dangerous Goods Act and Regulations

UN: United Nations U.S.: United States

USERS RESPONSIBILITY/DISCLAIMER OF LIABILITY:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.