



## **#1823 WET SURFACE PLASTIC CEMENT**

### **MSDS Number**

BKLZC

### **National Stock Number**

8030-00N014807

### **Product Name**

#1823 WET SURFACE PLASTIC CEMENT

### **Manufacturer**

AMERICAN TAR COMPANY

### **Product Identification**

Product ID: #1823 WET SURFACE PLASTIC CEMENT

MSDS Date: 01/01/1987

FSC: 8030

NIIN: 00N014807

MSDS Number: BKLZC

### **Responsible Party**

AMERICAN TAR COMPANY

1700 N. NORTHLAKE WAY

SEATTLE, WA 98103

US

Emergency Phone: 206-632-0828

Info Phone: 206-632-0828

Cage: EO509

### **Contractor**

AMERICAN TAR COMPANY

SEATTLE, WA 90103

US

(206) 632-0828

Cage: EO509

### **Ingredients**

SOLVENTS

Fraction By Weight: 35-40%

WETTING AGENT (ASBESTOS & FILLER). EXP. LIMITS FOR

Fraction By Weight: 6-20%

OSHA PELSEE 1910.1001

ACGIH TLV: 2 FIBERS/CC

ASPHALT (PETROLEUM)

CAS: 8052-42-4

RTECS: CI9900000

Fraction By Weight: 45-54%

ACGIH TLV: 5 MG/M3; (FUME); 9192



## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:INHALATION OF HIGH CONC OF VAPORS MAY LEAD TO ASPHYXIATION. PROMPT REMOVAL TO FRESH AIR USUSALLY RESULTS IN COMPLETE RECOVERY IF NORMAL RESP HAS NOT STOPPED. MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN I RRITATION ON PROLONGED OR REPEATED CONTACT. MAY BE HARMFUL OR FATAL IF SWALLOWED.  
Explanation of Carcinogenicity:IARC LIST 1, NTP LIST 1, OSHA REGULATED.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYE CONT, FLUSH EYES W/FRESH WATER FOR AT LEAST 15 MIN; IF IRRIT PERSISTS, GET MD. SKIN CONT, DO NOT USE HYDROCARBON SOLV/THINNERS TO REMOVE THIS MATL FROM SKIN. USE MINERAL OIL/SIMILAR TYPE OF MATL F OLLOWED BY THORO WASHING W/SOAP & WATER. REMOVE CONTAM CLTHG & WASH BEFORE REUSE. IF SWALLOWED, INDUCE VOMIT & GET MD IMMED. INHAL: REMOVE TO FRESH AIR. SUPPORT BRTH (GIVE O\*2/ARTF RESP) .

## Fire Fighting

Flash Point Method:TOC  
Flash Point:105F,41C  
Extinguishing Media:CO\*2, DRY CHEMICAL.  
Fire Fighting Procedures:IN CASE OF FIRE INVOLVING MATL, DO NOT ENTER FIRE AREA WITHOUT PROPER PROT EQUIPMENT, INCLUDING NIOSH/MSHA APPRVD SCBA.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

## Accidental Release

Spill Release Procedures:EXTINGUISH ALL SOURCES OF IGNITION IN VICINITY OF SPILL OR RELEASED VAPORS. CLEAN UP SPILLS AS SOON AS POSSIBLE, OBSERVING PRECAUTIONS.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE IN COOL, WELL-VENTILATED AREA AWAY FROM IGNITION. AVOID PRLNGD OR RPTD SKIN CONT. AVOID EYE CONT. AVOID INHAL OF HIGH CONC OF VAPORS.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:NEOPRENE OR RUBBER GLOVES.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

HCC:F4  
Solubility in Water:NIL  
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

## Stability

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

## Disposal



Waste Disposal Methods: ABSORB LARGE SPILLS WITH CLAY, DIATOMACEOUS EARTH.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.